<u>VBOZ</u>[™] providing you with the widest range of Equipment Server Rack Cabinets.

While some brands boast about quality and others talk about price, the VBOZTM product line has upheld a reputation for excellence and superior performance for the Equipment Server Rack Cabinets.

With the <u>VBOZ</u>[™] brand, you can address all your major concerns:

- Quality,
- Price,
- Availability,
- Ease of doing business
- Depth of line with our abundant variety of Equipment Server Rack Cabinets.



Search no further!! You have found it!! Here we are confident you will be able to find your solution to your racking problems.

VBOZ[™] D Series

Dynamic Server Rack Cabinets

The perfect balance between performance and reliability, the rack-in-black dons the perforated front and back doors for better airflow. To further improve cooling, vented trays are used instead. Lastly the by-folded back door allows itself to be opened with lesser clearance space compared to the single door designs.



Front

Features and Benefits:

- Equipment Mounting Compatibility: Our Server Cabinet, are configured to be compatible with most computer equipment including: Compaq, Cisco, Dell, HP, IBM, Sun, and Intel.
- **RU positions:** marked and notched for easy alignment and placement of equipment.
- **By-Folded Rear Door:** decrease the rear clearance space needed to open the doors
- **Exhaust Fan** to maintain equipment temperatures by effectively extracting hot air from server rack.
- Full slotted Top Frame at its four edges to allow for proper ventilation preventing overheating.
- Perforated Door to optimize air flow
- Vented shelf provide additional air circulation between rack units
- Removable side panels, front and rear doors allow easy accessibility from any side of the cabinet.
- Strongly build metal Tray to support non-rack mountable Equipments.
- Addition of extra equipment shelf for future expansion made easy.
- Adjustable feet and castors
- Ships completely assembled.
- Lockable Perforated Door allows viewing of rack equipments without unauthorized opening the doors.
- Cam Lock on doors and side panels provides added security for equipment.
- Internal dimensions to IEC 297-2 and DIN 41494 Part 1 with addition to DIN-IEC drilling in EIA standard.
- Protection to foreign bodies to IP20; DIN 40050 Part 1 & IEC 529.
- Durable construction with a **500 kg static** load rating.









VBOZTM D Series

Dynamic Server Rack Cabinets

| SPECIFICATION | |
|----------------------|--|
| | 1 x Main Frame |
| | 1 x Top Frame (with cable entry access) |
| Base Frame | 1 x Base Frame (with cable entry Access) |
| | 1 x Mounting Elements |
| | |
| Front Door | 1 x Front Door with Swing Handle (Perforated) |
| Rear Door | 1 x By-Folded Rear Door with cam Lock (Perforated) |
| Side Panels | 2 x Side Panels with cam Lock (Quick-Release side latch) |
| | |
| Castor Wheels | 1 x set of 4 Castor Wheels |
| Leveling Feet | 1 x set of 4 Leveling Feet |
| | |
| Power Strip | 2 x 6 Way Horizontal Power Strip (Total 12 Sockets) |
| | 1 x Fanplate (2 fans on plate) |
| Vertical Cable Trays | 1 x 4-inch Vertical Cable Tray |
| Equipment Shelf | 3 x Equipment Shelf (vented) |
| Cagenuts & Screws | 50 x set of Cagenuts & Screws |



Swing Handle



RU Positions



Standard Single
Door Rack

Doors

Less Clearance needed to open By-folded Door
Compared to a Standard Single door

By-Folded Door Advantage




By-Folded Rear Door (both door open)



VBOZ[™] D Series

Dynamic Server Rack Cabinets



Equipment Shelf (vented)



Top View



Fanplate (2 fans on plate)



Removable side panel



Cam Lock



Lockable Perforated Door



6 Way Horizontal Power Strip x 2 unit



Full slotted Top Frame



Castor Wheels and Leveling Feet